

Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier			
	Commercial product name:	Hyper pure Silicon ingots < 1 % Arsen	ic	
	CAS No.:	7440-21-3		
	EC-No.:	231-130-8		
	REACH registration number:	01-2119480401-47-0220		
1.2	Relevant identified uses of the substance or mixtu	ure and uses advised against		
	Use of substance / preparation: Industrial. Raw material for the production of silicon products			
1.3	Details of the supplier of the safety data sheet			
	Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax:	Siltronic AG Johannes-Hess-Straße 24 D 84489 Burghausen +49 8677 83-3930 +49 8677 83-62171		
	Information about the Safety Data Sheet:	Telephone Telefax eMail	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com	
1.4	Emergency telephone number			
	Emergency Information (German): Emergency Information (internat.):	Plant fire brigade National Response Center	+49 8677 83-2222 +49 621 60-43333	

# SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture.

# 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008:

No labeling according to GHS required.

EC-No.: 231-130-8

# 2.3 Other hazards

Under certain conditions (see sec 10), the product can splitt off the gases arsine and hydrogen. Arsine shows strong toxic effects by inhalation and is also classified in terms of other physical hazards, health hazards and environmental hazards. Hydrogen is classified in terms of physical hazards.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

# 3.1.1 Chemical characteristics

CAS No.: 7440-21-3 Silicon

#### 3.1.2 Hazardous ingredients



#### Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Date of print: 25.08.2020

Version: 1.6 (GB)

Date of last alteration: 24.08.2020

This material does not contain any ingredients above the permitted limit(s).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

# 3.2 Mixtures

not applicable

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General information:**

No special measures required.

# After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes and seek medical advice.

After contact with the skin: No special measures required.

# After inhalation:

In case of dust formation: Provide fresh air.

#### After swallowing:

No special measures required. In cases of sickness seek medical advice (show label if possible).

# 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

# 4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media

# Suitable extinguishing media:

Use extinguishing measures appropriate to the source of fire.

# Extinguishing media which must not be used for safety reasons:

not applicable

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: silicon dioxide .

# 5.3 Advice for firefighters

**Special protective equipment for fire fighting:** Use respiratory protection independent of recirculated air. Use tightly fitting chemical protection suit (see section 8).

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (see section 8).

# 6.2 Environmental precautions

Observe local/state/federal regulations.

# 6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations.



Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

#### 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Precautions for safe handling:

Keep container closed when not in use. Keep away from incompatible substances in accordance with section 10.

#### Precautions against fire and explosion:

Observe the general rules for fire prevention. Product can separate hydrogen in contact with lyes.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Conditions for storage rooms and vessels:

Observe local/state/federal regulations. Protect against moisture.

Advice for storage of incompatible materials: Keep away from alkalis. Avoid contact with acids.

#### Further information for storage:

Protect against moisture.

#### 7.3 Specific end use(s)

No data available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Maximum airborne concentrations at the workplace:

CAS No.	Substance	Type mg/m <sup>3</sup>	ppm	Dust fract.	Fibre/m <sup>3</sup>
7784-42-1	Arsine	TLV_GB0,16	0,05		
7440-38-2	Arsenic	TLV_GB0,1		T	

#### Predicted No Effect Concentration (PNEC):

silicon		
Area of use:	Value:	
Intermittent release	100 mg/l	
sewage treatment plant	25 mg/l	

#### 8.2 Exposure controls

#### 8.2.1 Exposure in the work place limited and controlled

#### General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Avoid contact with eyes and skin. Do not eat, drink or smoke when handling. Wash hands at the end of work and before eating.

#### Personal protection equipment:

#### **Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Combined filter type ABEK-P3 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

Observe the equipment manufacturer's information and wear time limits for respirators.



Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

Method:

### Eye protection

In case of mechanical handling: tight fitting protective goggles .

#### Hand protection

Recommended glove types: Protective gloves, non-cuttable Use of protective gloves is recommended when handling the material. For the choice of suitable gloves, workplace conditions have to be considered, like e.g. handling of other substances and materials.

#### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1 Property: Value: Appearance Physical state .....: solid Form .....: compact Colour.....: silver Odour Odour.....: odourless **Odour limit** Odour limit ..... no data available pH-Value pH-Value ..... not applicable Melting point/freezing point Melting point / melting range..... 1410 °C Initial boiling point and boiling range Boiling point / boiling range..... 2355 °C Flash point Flash point..... not applicable Evaporation rate Evaporation rate ..... no data available Upper/lower flammability or explosive limits Lower explosion limit (LEL)..... not applicable Upper explosion limit (UEL) ..... not applicable Vapour pressure Vapour pressure ..... not applicable Solubility(ies) Water solubility / miscibility ..... virtually insoluble Vapour density Relative gas/vapour density ..... No data known. **Relative Density** Relative Density ...... 2.32 (Water / 4 °C = 1.00)Density ...... 2,32 g/cm<sup>3</sup> Partition coefficient: n-octanol/water Partition coefficient: n-octanol/water.....: No data known. Auto-ignition temperature Ignition temperature..... not applicable Viscosity Viscosity (dynamic)..... not applicable Viscosity (kinematic)..... not applicable Molecular mass Molecular mass..... no data available 9.2 Other information

No data available.



Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

# SECTION 10: Stability and reactivity

# 10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

#### 10.4 Conditions to avoid

Moisture.

#### 10.5 Incompatible materials

water , lyes , acids . The reaction takes place with the formation of arsine and hydrogen.

# 10.6 Hazardous decomposition products

If stored and handled properly: none known. Upon contact with the substances mentioned in 10: arsine and hydrogen.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

#### 11.1.1 General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

#### 11.1.2 Acute toxicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### Data on substances:

#### silicon:

Route of exp	osure Result/Effect	Species/Test system	Source
Oral	LD50: > 5000 mg/kg	Rat	literature (read- across substance)
dermal	LD50: > 5000 mg/kg	Rabbit	literature (read- across substance)

#### 11.1.3 Skin corrosion/irritation

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### Data on substances:

#### silicon:

Result/Effect	Species/Test system	Source
No skin irritation	Rabbit	literature (read-
		across substance)

#### 11.1.4 Serious eye damage / eye irritation

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# Data on substances:

silicon:

Result/Effect	Species/Test system	Source
No eye irritation	Rabbit	literature (read-
		across substance)

# siltronic perfect silicon solutions

# Safety Data Sheet (1907/2006/EC)

Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

# 11.1.5 Respiratory or skin sensitization

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

# Data on substances:

# silicon:

During several years of handling this material, there were no indications of a skin-sensitizing potential.

# 11.1.6 Germ cell mutagenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# Data on substances:

silicon:

Based on known data a significant mutagenic potential may be excluded.

#### 11.1.7 Carcinogenicity

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### Data on substances:

# silicon:

No data known.

# 11.1.8 Reproductive toxicity

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### Data on substances

#### silicon:

On the basis of the available data no reproductive hazards are expected. The evaluation is in analogy to a tested product.

# 11.1.9 Specific target organ toxicity (single exposure)

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.10 Specific target organ toxicity (repeated exposure)

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# Data on substances:

#### silicon:

No systemic toxicity.

Result/Effect	Species/Test system	Source
NOAEL: 4000 - 5000 mg/kg	Subchronic study	literature (read-
	Rat	across substance)
	Oral	



Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

# 11.1.11 Aspiration hazard

#### Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

### SECTION 12: Ecological information

#### 12.1 Toxicity

#### Assessment:

For the product as a whole, no test data is available. Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

#### Data on substances:

Data derived for the product as a whole are of higher priority than data for single ingredients.

#### silicon:

No expected damaging effects to aquatic organisms.

### 12.2 Persistence and degradability

#### Assessment:

For the product as a whole, no test data is available.

#### Data on substances:

silicon:

Separation by sedimentation.

#### 12.3 Bioaccumulative potential

#### Assessment:

No data known.

#### 12.4 Mobility in soil

Assessment:

For the product as a whole, no test data is available.

### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

none known

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### 13.1.1 Material

Recommendation: Observe local/state/federal regulations.

#### 13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Empty containers should be sent to an approved recycling facility.

#### 13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is



Material: 291462

### Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)

14.5

Date of print: 25.08.2020

Date of last alteration: 24.08.2020

only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

# SECTION 14: Transport information

### 14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR: Valuation	Not regulated for transport
Railway RID: Valuation	Not regulated for transport
Transport by sea IMDG-Code: Valuation	Not regulated for transport
Air transport ICAO-TI/IATA-DGR: Valuation	Not regulated for transport
Environmental hazards	

Hazardous to the environment: no

#### 14.6 Special precautions for user

Relevant information in other sections has to be considered.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

# Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

Not applicable

#### **Relevant regulations:**

SI 2002/1689: CHIP Regulations 2002
SI 2002/2677: COSHH Regulations 2002
SI 1999/3242: Management of Health & Safety at Work Regulations 1999
Health & Safety at Work Act 1974
SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.
Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

#### Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

#### 15.2 Chemical safety assessment

For this product, a chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has been carried out.

#### 15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan .....: ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.



Material: 291462

# Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.6 (GB)		Date of print: 25.08.2020	Date of last alteration: 24.08.2020	
	Australia:	AICS (Australian Inventory of Chemical Substances):		
(	China:	This product is listed in, or complies with, the substance inventory.		
(	Canada:			
Philippines Philippines Philippine Inventory of Chemicals and Chemicals				
		This product is listed in, or complies with, the su <b>TSCA</b> (Toxic Substance Control Act Chemical S		
		<ul> <li>All components of this product are listed as active or are in compliance with substance inventory.</li> <li><b>REACH</b> (Regulation (EC) No 1907/2006):</li> <li>General note: the registration obligations for substances imported into the E manufactured within the EEA by the supplier mentioned in section 1 are fulfi the said supplier. The registration obligations for substances imported into the by customers or other downstream users must be fulfilled by the latter.</li> <li><b>AREC</b> (Act on Registration and Evaluation of Chemicals; "K-REACH"):</li> </ul>		
I	European Economic Area (EEA):			
S	South Korea (Republic of Korea):			
	Please approach your regular WACKER contact for more detailed inform		t for more detailed information.	

# **SECTION 16: Other information**

# 16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

# 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

# - End of Safety Data Sheet -